WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Sunday, November 13, 2005

Hide?	**Set Name**	**Query**	**Hit Count**
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ	
☐	L23	L21 and boiling water	3
☐	L22	L21 and boiling	19
☐	L21	L20 and contact angle	48
☐	L20	106/287.11.ccls.	514
☐	L19	L17 not l18	65
☐	L18	L17 and 106/287.11.ccls.	7
☐	L17	l14 not l16	72
☐	L16	L11 and (contact angle with chang$4)	46
☐	L15	L11 and (contact angle with chang$)	45
☐	L14	L11 and (contact angle with treat$ with water)	77
☐	L13	L11 and (contact angle with (consisten$))	7
☐	L12	L11 and (contact angle with consist$)	22
☐	L11	l8 or l10	488
☐	L10	L9 and contact angle	163
☐	L9	106/287.1$.ccls.	3731
☐	L8	428/447.ccls. and contact angle	360
☐	L7	L6 and 428/447.ccls.	29
☐	L6	L5 and surface energy	177
☐	L5	L4 and contact angle	396
☐	L4	L3 and silane	510
☐	L3	goniometer	5571
☐	L2	L1	2
		DB=USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L1	consistent surface energy	2

END OF SEARCH HISTORY